

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (Currently Amended). A network system comprising:

a terminal device including a slot for inserting and ejecting a memory device that stores information for user authentication; and

a network server including:

E'
~~connected~~ connecting means for connecting to said terminal device via prescribed communication means, wherein when said terminal device detects that said memory device is inserted into said slot, a request for authentication is sent to said network server by sending said information for user authentication and information about terminal specification to said network server, and said information for user authentication is stored in said network server in association with said information about terminal specification for future communication with said terminal device associated with said information about terminal specification when said network server authenticates the user, and said network server converts information to be transmitted to said terminal device used by the user into conformed information conformed to said terminal device used by the user, and transmits the conformed information to said terminal device; and

forming means for forming a group of a plurality of users

that registered in a predetermined group and for transmitting information sent from a user belonging to said group to a terminal device used by another user belonging to said group.

Claim 2 (Canceled).

E' Claim 3 (Currently Amended). The network system according to claim 2 1, further comprising storage means, and wherein said terminal device includes interface means connected to said storage means for storing information peculiar to said user and for storing specific information on said group to which said user belongs in said storage means connected to said interface means.

Claim 4 (Currently Amended). A network system comprising:
a terminal device; and
a network server including:

~~connected~~ connecting means for connecting to said terminal device via prescribed communication means, wherein when said terminal device detects that said memory device is inserted into said slot, a request for authentication is sent to said network server by sending said information for user authentication and information about terminal specification to said network server, and said information for user authentication is stored in said network server in association with said information about terminal specification for future communication with said

terminal device associated with said information about terminal specification when said network server authenticates the user, and when there is information to be transmitted to said terminal device used by the user, said network server notifies said terminal device used by the user of the presence of the information to be transmitted; and

forming means for forming a group of a plurality of users that registered in a predetermined group and for transmitting information sent from a user belonging to said group to a terminal device used by another user belonging to said group.

E1
Claim 5 (Canceled).

Claim 6 (Currently Amended). The network system according to claim 5 4, further comprising storage means, and wherein said terminal device includes interface means connected to said storage means for storing information peculiar to said user and for storing specific information on said group to which said user belongs in said storage means connected to said interface means.

Claim 7 (Currently Amended). A network server connected to a terminal device via prescribed communication means, comprising:

receiving means for receiving an authentication request including information for user authentication and information

about terminal specification in response to said terminal device detecting insertion of a memory device storing said user authentication information;

recording means for recording said user authentication information in said server in association with said information about terminal specification for future communication with said terminal device associated with said information about terminal specification when said user authentication information is authenticated; ~~and~~

E' transmission means for converting information to be transmitted to said terminal device into conformed information conformed to said terminal device based on said information about terminal specification, and transmitting said conformed information to said terminal device; and

forming means for forming a group of a plurality of users that registered in a predetermined group and for transmitting information sent from a user belonging to said group to a terminal device used by another user belonging to said group.

Claim 8 (Canceled).

Claim 9 (Currently Amended). A network server connected to a terminal device and via prescribed communication means, comprising:

receiving means for receiving an authentication request

including information for user authentication and information about terminal specification in response to said terminal device detecting insertion of a memory device storing said user authentication information;

recording means for recording said user authentication information in said server in association with said information about terminal specification for future communication with said terminal device associated with said information about terminal specification when said user authentication information is authenticated; ~~and~~

E! notice means for notifying when there is information to be transmitted to said terminal device of the presence of the information to be transmitted; and

forming means for forming a group of a plurality of users that registered in a predetermined group and for transmitting information sent from a user belonging to said group to a terminal device used by another user belonging to said group.

Claims 10-16 (Canceled).

Claim 17 (Currently Amended). A method executed on a server connected to a terminal device comprising the steps of:

receiving an authentication request including information for user authentication and information about terminal specification, in response to said terminal device detecting

insertion of a memory device storing said user authentication information;

storing said user authentication information on said server in association with said information about terminal specification for future communication with said terminal device associated with said information about terminal specification when said user authentication information is authenticated;

E' converting information to be transmitted to said terminal device into information conformed to said terminal device based on said received information about terminal specification;

transmitting said converted information to said terminal device; and

forming a group of a plurality of users that registered in a predetermined group and transmitting information sent from a user belonging to said group to a terminal device used by another user belonging to said group.
